# 16 And 16A Gladstone Terrace BH2022/00947

57




### **Application Description**

 Change of use of 2no two-bedroom flats (C3) to a three-bedroom small house in multiple occupation (HMO - C4) and a four-bedroom small HMO (C4).



### **Map of application site**



Brighton & Hove City Council

### **Location Plan**





1838-EX-001

### **Aerial photo of site**





### **3D** Aerial photo of site





### **Street photo front of No.16**





### **Street view south**



Brighton & Hove City Council

### **Street view north**





## **Number of units**

66

- One (1)three-bedroom small HMO at lower and ground floor.
- One (1) four-bedroom small HMO at first and second floor.



### HMO 50 Metre radius map



#### HMO Mapping:

No of HMOs: 5 No of dwellings: 65 (inc 16 Gladstone Terrace) % of HMOs: **7.69%** 

Including one of the proposed HMOs gives the following results:

No of HMOs:6 No of dwellings:65 (inc 16 Gladstone Terrace) % of HMOs: **9.23%** 

> Brighton & Hove <u>City Council</u>

#### Lower Ground and Ground Floor Plan Existing






#### Lower Ground and Ground Floor Plan Proposed








#### **First and Second Floor Plan Existing**





### **First and Second Floor Plan Proposed**






## **Existing Elevations**






1838-EX-003

### **Proposed Elevations**





Scale in Metres



Brighton & Hove City Council

1838-PA-032

### **Existing Site Section(s)**






1838-EX-005



### **Proposed Site Section(s)**





1838-PA-033

Brighton & Hove City Council

# **Key Considerations in the Application**

- Principle of Development
- Standard of Accommodation
- Impact on Amenity

76

Sustainable Transport



# **Conclusion and Planning Balance**

- Complies with Policy CP21 in terms of number of HMOs in immediate area (less than 10% in HMO use with one of the proposed included in calculation)
- Standard of accommodation acceptable
  - Impact on amenity of neighbouring residents, and highway considered acceptable

Recommend: Approve

